


**ELECTRIC ACCESS PLATFORMS | SI530E-S4550E**

**JCB**

**100% electric. Zero emissions.**



**JCB E-TECH**

PLATFORM HEIGHTS  
**4.6m – 13.8m**



# GREATER PRODUCTIVITY.

Designed using 75 years of engineering experience plus electric expertise, the JCB electric scissor range is ideal for both rental companies and contractors worldwide.



## HIGH PERFORMANCE

JCB uses only world-class parts and materials that are proven to perform.





# BUILT TO LAST.

Features such as motor protection plates, wear pads between scissor sections to stop metal-on-metal wear and warning light protection enable maximum uptime.



## UNIQUE DESIGN

Our unique battery and hydraulic door wear pads prevent the doors dropping over time.



## EASY TO USE.

The roller design and foot pedal for the extension deck make it easy to extend or retract, even at height. An ergonomic door handle allows easy, safe entry and exit.



## EASY TO WORK

Controller cradle design and winch point on front of chassis allow easier manoeuvring and loading.





# SAFETY FIRST.

The pothole protection system is a key part of the safety system, only allowing the machine to raise once it is fully deployed.



## GREATER CONTROL

Fully proportional raise and drive controls with creep speed mode allows for precise machine movements.



# INDUSTRY-LEADING SUPPORT.

The optional JCB LiveLink telematics system enables you to manage a single machine or whole fleet with real-time information, putting you in total control.




## SAME DAY SUPPORT

Access same-day genuine JCB parts and fully trained engineers for peace of mind.





# ELECTRIC ACCESS PLATFORMS | SI530E-S4550E



## SPECIFICATION.

|  |   |
|--|---|
| <b>MODELS</b>                                    | <b>SI530E, SI930E, S2032E, S2632E, S2646E, S3246E, S4046E, S4550E</b> |
| <b>Max platform height</b>                       | <b>4.54m – 13.8m</b>  |
| <b>Extension outreach</b>                        | <b>0.9m</b>   |
| <b>Overall length (stowed)</b>                   | <b>1.78m – 2.76m</b>  |
| <b>Overall width</b>                             | <b>0.77m – 1.25m</b>  |
| <b>Overall height (stowed, guardrail folded)</b> | <b>1.82m – 2.20m</b>  |
| <b>Overall weight</b>                            | <b>1,373kg – 3,593kg</b>  |



## STANDARD FEATURES.

- Ergonomic controller cradle
- Pothole protection struts
- Industry standard componentry
- Power outlet in the basket
- Front winch point
- Non-marking tyres
- 2-wheel drive (front)
- Easy to view charge indicator
- Ergonomic door handle design
- High quality JCB parts





**JCB E-TECH**



# SCISSOR LIFTS

100% ELECTRIC, ZERO EMISSIONS

**100% electric. Zero emissions.**

**FIND OUT MORE**

**JCB E-TECH**

[www.jcb.com/electric](http://www.jcb.com/electric)